

Snoopy-The Flying Ace

Panel Quilt Instructions



Designed By: Cyndi Hershey
Finished Quilt Size: 36½" x 52½"
Finished Block Size:
Number of Blocks:

Snoopy-The Flying Ace

Panel Quilt Instructions



24010 B



24013 B




24013 N



24014 R



24015 R
(binding)



23528 SZ



24011 N
(backing)

KIT REQUIREMENTS				
		12 Kits	18 Kits	24 Kits
Design:	Yards	Bolts	Bolts	Bolts
24010 B (Panel)	(1) 24" panel	1	1	2
24013 B	$\frac{3}{4}$	1	2	2
24013 N	$\frac{1}{2}$	1	1	1
24014 R	$\frac{1}{2}$	1	1	1
24015 R (binding)	$\frac{1}{2}$	1	1	1
23528 SZ	$\frac{1}{8}$	1	1	1
24011 N (Backing) (*double this if one width is not sufficient)	1 $\frac{5}{8}$	2	3	4

Cutting

Note: All strips are cut across the width of the fabric (perpendicular to selvages) unless noted otherwise.

A. 24010-B (panel)

- Cut $\frac{1}{4}$ " beyond motif area. This should be approximately 23" x 40 $\frac{1}{2}$ ".

B. 24013-B (blue cloud print)

- Cut (2) 3" strips.
- Cut (2) 3 $\frac{1}{2}$ " strips
- Cut (2) 2 $\frac{7}{8}$ " strips; subcut (26) 2 $\frac{7}{8}$ " squares. Cut each square diagonally in half to yield fifty-two half-square triangles.
- Cut (1) 3 $\frac{1}{4}$ " strip; subcut one 3 $\frac{1}{4}$ " square. Cut square diagonally in both directions to yield four quarter-square triangles. Trim remainder of strip to 2 $\frac{7}{8}$ " wide. From this, cut (12) 2 $\frac{7}{8}$ " squares. Cut each square diagonally in half to yield twenty-four half-square triangles.

C. 24013-N (navy cloud print)

- Cut (3) 2 $\frac{7}{8}$ " strips; subcut (39) 2 $\frac{7}{8}$ " squares. Cut each square diagonally in half to yield seventy-eight half-square triangles.
- Cut (1) 3 $\frac{1}{4}$ " strip; subcut (3) 3 $\frac{1}{4}$ " squares. Cut each square diagonally in both directions to yield twelve quarter-square triangles. Trim remainder of strip to 2 $\frac{7}{8}$ " wide. From this, cut (3) 2 $\frac{7}{8}$ " squares. Cut each square diagonally in half to yield six half-square triangles.

D. 24014-R (red Woodstock print)

- Cut (4) 3 $\frac{5}{16}$ " strips; subcut (36) 3 $\frac{5}{16}$ " squares. Note: you can measure this by centering edge of fabric between the 3 $\frac{1}{4}$ " and 3 $\frac{3}{8}$ " lines on your ruler.

E. 24015-R (red stripe)


- Cut (5) 2 $\frac{1}{2}$ " strips for binding.

F. 23528-SZ (yellow tonal print)

- Cut (1) 3 $\frac{3}{4}$ " strips; subcut (4) 3 $\frac{3}{4}$ " squares. Cut each square diagonally in both directions to yield sixteen quarter-square triangles.

Construction

1. Center and sew one (B) 3 $\frac{1}{2}$ " strip to both sides of panel. Trim ends even with edge of panel. Press toward strips. Center and sew one (B) 3" strip to the top and bottom of panel. Trim ends and press. Trim framed panel to 28 $\frac{1}{2}$ " x 44 $\frac{1}{2}$ " keeping panel centered.
2. Sew one (B) 2 $\frac{7}{8}$ " triangle to one side of one (D) 3 $\frac{5}{16}$ " square. Press toward the triangle. Sew one (C) 2 $\frac{7}{8}$ " triangle to opposite side of square; press. Referring to diagram, sew one more (B) and (C) triangle to remaining sides of square; press. Repeat to complete thirty-six border blocks.




Make 36. (4" finished)

Snoopy-The Flying Ace

Panel Quilt Instructions




3. Sew one (B) $3\frac{1}{4}$ " triangle to one (F) $3\frac{1}{4}$ " triangle as shown. Press toward the (B) triangle. Repeat to make four units.



Make 4.

4. Sew one (B) $2\frac{7}{8}$ " triangle to one step 3 unit. Press toward the $2\frac{7}{8}$ " triangle. Repeat to make four units.



Make 4.

5. Sew one (C) $3\frac{1}{4}$ " triangle to one (F) $3\frac{1}{4}$ " triangle as shown. Press toward the (B) triangle. Repeat to make twelve units.



Make 12.

6. Sew one (C) $2\frac{7}{8}$ " triangle to one step 5 unit. Press toward the $2\frac{7}{8}$ " triangle. Repeat to make twelve units.



Make 12.

7. Sew one unit from step 4 to three units from step 6 to complete one pinwheel block. Press. Repeat to complete four pinwheel blocks.



Make 4. (4" finished)

8. Sew eleven step 2 blocks together into a row. Press seams open. Repeat to create two side borders. Sew borders to quilt top. Press toward panel frames.
9. Sew seven step 2 blocks together into a row. Press seams open. Repeat. Referring to quilt image for correct placement, sew one step 7 block to both ends of one border. Press toward pinwheel blocks. Repeat to complete top/bottom borders. Sew borders to quilt top and press toward panel frames.

Finishing

1. Prepare backing and press well.
2. Layer quilt top, batting and backing. Quilt as desired.
3. Trim layers even with quilt top.
4. Prepare binding using (E) $2\frac{1}{2}$ " strips. Sew binding to quilt using your preferred method